Index to Volume 31

Author Index

ALLEN, SUZY
see Baker and Allen

ANDREWS, J. E.
see Glasby and Andrews

ATKINSON, I. A. E.
A reassessment of factors, particularly *Rattus rattus* L., that influenced the decline of endemic forest birds in the Hawaiian Islands, 109–133

BAKER, JAMES K., and SUZY ALLEN
Hybrid *Hibiscadelphus* (Malvaceae) in the Hawaiian Islands, 285–291
see also Carr and Baker

BANTA, WILLIAM C., and RENATE CARSON
Bryozoa from Costa Rica, 381–424

BAUER, G. R.
see Fodor, Keil, and Bauer

BORTONE, STEPHEN A.
Observations on the life history of *Diplectrum pacificum* and *D. macropoma* (Pisces, Serranidae) from the Bay of Panama, 49–60

BUNCH, T. E.
see Fodor, Keil, and Bunch

CARR, GERALD D., and JAMES K. BAKER
Cytogenetics of *Hibiscadelphus* (Malvaceae): a meiotic analysis of hybrids in Hawaii Volcanoes National Park, 191–194

CARSON, RENATE
see Banta and Carson

DAHL, ARTHUR L., and AUSTIN E. LAMBERTS
Environmental impact on a Samoan coral reef: a resurvey of Mayor's 1917 transect, 309–319

ELDREDGE, L. G.
Note on *Cryptodromiopsis tridens* (Brachyura, Dromiidae), 249–251

FIELD, LAURENCE H.
An experimental analysis of the escape response of the gastropod *Strombus maculatus*, 1–11

FODOR, R. V., KLAUS KEIL, and G. R. BAUER
Contributions to the mineral chemistry of Hawaiian rocks. V. Composition and origin of ultramafic nodules and megacrysts in a rhyodacite from Oahu, Hawaiian Islands, 211–222

FODOR, R. V., KLAUS KEIL, and T. E. BUNCH
Contributions to the mineral chemistry of Hawaiian rocks. VI. Olivines in rocks from Haleakala and West Maui volcanoes, Maui, Hawaii, 299–308

FOSBERG, F. R.
A fossil *Garcinia* fruit from the New Hebrides, Melanesia, 293–297

GARTH, JOHN S.
see Lamberts and Garth

GLASBY, G. P., and J. E. ANDREWS
Manganese crusts and nodules from the Hawaiian ridge, 363–379

HAYES, WILLIS B.
Factors affecting the distribution of *Tylos punctatus* (Isopoda, Oniscoidea) on beaches in southern California and northern Mexico, 165–186

HOYLE, MITCHELL D.
Gracilaria dotyi sp. nov. (Rhodophyta, Gigartinales): a new intertidal species from Oahu, Hawaiian Islands, 85–89

HUMES, ARTHUR G.
Cyclopoid copepods (Lichomolgidae) associated with hydroids in the tropical western Pacific Ocean, 335–353

IZAWA, KUNIHIKO
A new species of *Peroderma* Heller (Caligoida: Lernaeoceridae), parasitic on the fish *Bregmaceros japonicus* Tanaka, 253–258

JOHNSON, MARTIN W.
On a hitherto unknown phyllosoma larval species of the slipper lobster *Scyllarus* (Decapoda, Scyllaridae) in the Hawaiian archipelago, 187–190

KEIL, KLAUS
see Fodor, Keil, and Bauer; *see also* Fodor, Keil, and Bunch

KROOPNICK, Peter
The SO_4:Cl ratio in oceanic rainwater, 91–106

LAMBERTS, AUSTIN E., and JOHN S. GARTH
Coral-crab commensalism in xanthids, 245–247
see also Dahl and Lamberts

MACIOLEK, J. A.
Taxonomic status, biology, and distribution of Hawaiian *Lentipes*, a diadromous goby, 355–362

MORRIS, ROBERT W.
An analysis of some meristic characters of the staghorn sculpin *Leptocottus armatus* Girard, 259–277

NASS, ROGER D.
Movements and home ranges of Polynesian rats in Hawaiian sugarcane, 135–142

RANDALL, JOHN E.
Contribution to the biology of the whitetip reef shark (*Triaenodon obesus*), 143–164

ROBERTSON, IAN
Low seabird densities in the pelagic environment of the Strait of Georgia, British Columbia, 279–283

SABATH, MICHAEL D.
Vegetation and urbanization on Majuro Atoll, Marshall Islands, 321–333

ST. JOHN, HAROLD
The genus *Pittosporum* (Pittosporaceae) on Rapa Island and on the Austral Islands, Polynesia. Pacific Plant Studies 31, 195–209

SANTELICES, BERNABÉ
A taxonomic review of Hawaiian Gelidiales (Rhodophyta), 61–84

TAKEDA, MASATSUNE
Two interesting crabs from Hawaii, 31–38

WENNER, ADRIAN M.
Food supply, feeding habits, and egg production in Pacific mole crabs (*Hippa pacifica* Dana), 39–47

YAMAGUCHI, MASASHI
Population structure, spawning, and growth of the coral reef asteroid *Linckia laevigata* (Linnaeus), 13–30

YAP, WILFREDO G.
Population biology of the Japanese little-neck clam, *Tapes philippinarum*, in Kaneohe Bay, Oahu, Hawaiian Islands, 223–244

Subject Index*

Angiospermae
vegetation and urbanization on Majuro Atoll, Marshall Islands, 321–333
Anthozoa
contribution to the biology of the whitetip reef shark, 143–164
coral-crab commensalism in xanthids, 245–247
environmental impact on a Samoan coral reef: a resurvey of Mayor's 1917 transect, 309–319
population structure, spawning, and growth of the coral reef asteroid *Linckia laevigata* (Linnaeus), 13–30
Austral Islands
the genus *Pittosporum* (Pittosporaceae) on Rapa Island and on, Polynesia. Pacific Plant Studies 31, 195–209
Aves
low seabird densities in the pelagic environment of the Strait of Georgia, British Columbia, 279–283
reassessment of factors that influenced the decline of endemic forest birds in the Hawaiian Islands, 109–133

Bivalvae
the genus *Pittosporum* (Pittosporaceae) on Rapa Island and on the Austral Islands, Polynesia. Pacific Plant Studies 31, 195–209
Bivalvia
population biology of the Japanese little-neck clam, *Tapes philippinarum*, in Kaneohe Bay, Oahu, Hawaiian Islands, 223–244
British Columbia
low seabird densities in the pelagic environment of the Strait of Georgia, 279–283
Bryozoa
from Costa Rica, 381–424

California
factors affecting the distribution of *Tylos punctatus* (Isopoda, Oniscoidea) on beaches in, and northern Mexico, 165–186
Chlorophyceae
taxonomic review of Hawaiian Gelidiales, 61–84
Costa Rica
Bryozoa from, 381–424
Crabs, two interesting, from Hawaii, 31–38
Crustacea
coral-crab commensalism in xanthids, 245–247
cyclopoid copepods (Lichomolgidae) associated with hydroids in the tropical western Pacific Ocean, 335–353
environmental impact on a Samoan coral reef: a resurvey of Mayor's 1917 transect, 309–319
factors affecting the distribution of *Tylos punctatus* on beaches in southern California and northern Mexico, 165–186
food supply, feeding habits, and egg production in Pacific mole crabs (*Hippa pacifica* Dana), 39–47
new species of *Peroderma* Heller parasitic on the fish *Bregmaceros japonicus* Tanaka, 253–258
note on *Cryptodromiopsis tridens* (Brachyura, Dromiidae), 249–251
on a hitherto unknown phyllosoma larval species of the slipper lobster *Scyllarus* in the Hawaiian archipelago, 187–190
two interesting crabs from Hawaii, 31–38
Cryptodromiopsis tridens, note on (Brachyura, Dromiidae), 249–251

Diplectrum macropoma (Pisces, Serranidae), observations on the life history of, from the Bay of Panama, 49–60
Diplectrum pacificum (Pisces, Serranidae), observations on the life history of, from the Bay of Panama, 49–60
Dynomene devaneyi sp. nov., 31–38
Dynomenidae
two interesting crabs from Hawaii, 31–38

Echinoidea

*Biological organisms are indexed under their respective classes.

population structure, spawning, and growth of the coral reef asteroid *Linckia laevigata* (Linnaeus), 13–30

Filicinae
vegetation and urbanization on Majuro Atoll, Marshall Islands, 321–333
Forest birds, endemic, a reassessment of factors that influenced the decline of, in the Hawaiian Islands, 109–133
Fossil fruit
see Garcinia

Garcinia, a fossil fruit from the New Hebrides, Melanesia, 293–297
Gastropoda
an experimental analysis of the escape response of *Strombus maculatus*, 1–11
Gelidiales
a taxonomic review of Hawaiian (Rhodophyta), 61–84
Gigartinales
a new intertidal species from Oahu, Hawaiian Islands, 85–89
Gracilaria dotyi sp. nov., 85–89
Guttiferae
a fossil *Garcinia* fruit from the New Hebrides, Melanesia, 293–297

Haleakala
see Hawaiian Islands
Hawaiian Islands
contributions to the mineral chemistry of Hawaiian rocks. V. Composition and origin of ultramafic nodules and megacrysts in a rhyodacite from Oahu, 211–222
contributions to the mineral chemistry of Hawaiian rocks. VI. Olivines in rocks from Haleakala and West Maui volcanoes, Maui, 299–308
cytogenetics of *Hibiscadelphus* (Malvaceae): a meiotic analysis of hybrids in Hawaii Volcanoes National Park, 191–194
hybrid *Hibiscadelphus* (Malvaceae), 285–291
manganese crusts and nodules from the Hawaiian ridge, 363–379
movements and home ranges of Polynesian rats in Hawaiian sugarcane, 135–142
new intertidal species from Oahu, 85–89
on a hitherto unknown phyllosoma larval species of the slipper lobster *Scyllarus* in the Hawaiian archipelago, 187–190
population biology of the Japanese little-neck clam in Kaneohe Bay, Oahu, 223–244
reassessment of factors that influenced the decline of endemic forest birds, 109–133
taxonomic review of Hawaiian Gelidiales (Rhodophyta), 61–84
taxonomic status, biology, and distribution of Hawaiian *Lentipes*, a diadromous goby, 355–362
two interesting crabs from, 31–38
Hibiscadelphus
cytogenetics of, a meiotic analysis of hybrids in Hawaii Volcanoes National Park, 191–194
hybrid, in the Hawaiian Islands, 285–291
Hippa pacifica Dana, food supply, feeding habits, and egg production in, 39–47

Japanese little-neck clam, population biology of, in Kaneohe Bay, Oahu, Hawaiian Islands, 223–244

Kaneohe Bay
see Hawaiian Islands
Key
to the species of Gelidiales in Hawaii, 62

Lentipes, taxonomic status, biology, and distribution of, 355–362
Leptocottus armatus, an analysis of some meristic characters of, 259–277
Lernaeoceridae
a new species of *Peroderma* Heller parasitic on the fish *Bregmaceros japonicus* Tanaka, 253–258
Lichomolgidae
cyclopoid copepods associated with hydroids in the tropical western Pacific Ocean, 335–353
Linckia laevigata (Linnaeus), population structure, spawning, and growth of, 13–30

Macrochiron angulare sp. nov., 335–353
Majuro Atoll
vegetation and urbanization on, 321–333
Malvaceae
cytogenetics of *Hibiscadelphus*: a meiotic analysis of hybrids in Hawaii Volcanoes National Park, 191–194
hybrid *Hibiscadelphus* in the Hawaiian Islands, 285–291
Mammalia
movements and home ranges of Polynesian rats in Hawaiian sugarcane, 135–142
reassessment of factors, particularly *Rattus rattus* L., that influenced the decline of endemic forest birds in the Hawaiian Islands, 109–133
Manganese, crusts and nodules from the Hawaiian ridge, 363–379
Marshall Islands
see Majuro Atoll
Mexico
factors affecting the distribution of *Tylos punctatus* (Isopoda, Oniscoidea) on beaches in southern California and, 165–186
Moraceae
vegetation and urbanization on Majuro Atoll, Marshall Islands, 321–333

New Hebrides
a fossil *Garcinia* fruit from, Melanesia, 293–297
New species
Dynomene devaneyi (Dynomenidae), 31–38
Gracilaria dotyi (Rhodophyta, Gigartinales), 85–89
Macrochiron angulare (Lichomolgidae), 335–353
Peroderma pacifica (Lernaeoceridae), 253–258
Pittosporum luteum (Pittosporaceae), 195–209
Pittosporum Maireaui (Pittosporaceae), 195–209

Pittosporum perahuense (Bivalvae), 195–209
Pittosporum purpureum (Trivalvae), 195–209
Pittosporum raivavaeense (Bivalvae), 195–209
Pittosporum Takauele (Bivalvae), 195–209
Scyllarus sp. phyllosoma (Crustacea), 187–190
Telestacicola sertus (Lichomolgidae), 335–353

Oahu
see Hawaiian Islands
Olivines
composition and origin of ultramafic nodules and megacrysts in a rhyodacite from Oahu, 211–222
in rocks from Haleakala and West Maui volcanoes, Maui, Hawaii, 299–308

Pacific mole crabs, food supply, feeding habits, and egg production in, 39–47
Palmae
vegetation and urbanization on Majuro Atoll, Marshall Islands, 321–333
Panama, Bay of
observations on the life history of *Diplectrum pacificum* and *D. macropoma* (Pisces, Serranidae) from, 49–60
Peroderma pacifica sp. nov., 253–258
Pisces
analysis of some meristic characters of the staghorn sculpin *Leptocottus armatus* Girard, 259–277
contribution to the biology of the whitetip reef shark (*Triaenodon obesus*), 143–164
environmental impact on a Samoan coral reef: a resurvey of Mayor's 1917 transect, 309–319
new species of *Peroderma* Heller parasitic on *Bregmaceros japonicus* Tanaka, 253–258
observations on the life history of *Diplectrum pacificum* and *D. macropoma* (Serranidae) from the Bay of Panama, 49–60
taxonomic status, biology, and distribution of Hawaiian *Lentipes*, a diadromous goby, 355–362
Pittosporaceae
the genus *Pittosporum* on Rapa Island and on the Austral Islands, Polynesia. Pacific Plant Studies 31, 195–209
Pittosporum luteum sp. nov., 195–209
Pittosporum Maireaui sp. nov., 195–209
Pittosporum perahuense sp. nov., 195–209
Pittosporum purpureum sp. nov., 195–209
Pittosporum raivavaeense sp. nov., 195–209
Pittosporum Takauele sp. nov., 195–209
Polynesian rats, movements and home ranges of, in Hawaiian sugarcane, 135–142

Rainwater, oceanic, the SO_4:Cl ratio in, 91–106
Rapa Island
the genus *Pittosporum* (Pittosporaceae) on, and on the Austral Islands, Polynesia. Pacific Plant Studies 31, 195–209
Rattus rattus, a reassessment of, and other factors that influenced the decline of endemic forest birds in the Hawaiian Islands, 109–133
Rhodophyta
new intertidal species from Oahu, Hawaiian Islands, 85–89
taxonomic review of Hawaiian Gelidiales, 61–84
Rhyodacite
composition and origin of ultramafic nodules and megacrysts in, from Oahu, Hawaiian Islands, 211–222

Samoa
coral-crab commensalism in xanthids, 245–247
environmental impact on a coral reef: a resurvey of Mayor's 1917 transect, 309–319
Scyllarus phyllosoma sp. nov., 187–190
Serranidae
observations on the life history of *Diplectrum pacificum* and *D. macropoma* (Pisces) from the Bay of Panama, 49–60
Slipper lobster, on a hitherto unknown phyllosoma larval species of, in the Hawaiian archipelago, 187–190
Staghorn sculpin, an analysis of some meristic characters of, 259–277
Strait of Georgia
see British Columbia
Strombus maculatus, an experimental analysis of the escape response of, 1–11

Tapes philippinarum, population biology of, in Kaneohe Bay, Oahu, Hawaiian Islands, 223–244
Telestacicola sertus sp. nov., 335–353
Triaenodon obesus, contribution to the biology of, 143–164
Trivalvae
the genus *Pittosporum* (Pittosporaceae) on Rapa Island and on the Austral Islands, Polynesia. Pacific Plant Studies 31, 195–209
Tylos punctatus, factors affecting the distribution of, on beaches in southern California and northern Mexico, 165–186

Volcanoes National Park
see Hawaiian Islands

Whitetip reef shark, contribution to the biology of, 143–164

Xanthids, coral-crab commensalism in, 245–247